Panahawai Goot. Lota, Okilo, Hawaii! Grant 4673 To

File in Carton 125.

Territory of Hawaii,

Office of the Covernment Survey.

Honolulu, T. H.

Lot 2. Ponahawai Government Lots, Hilo, Hawaii.

Beginning at the North corner of this lot and the East corner of Lot 1, the coordinates of which point referred to Govern-Survey Trig. Station "Halai" being 3623.5 feet South and 4790.4 feet West, as shown on Government Survey Registered Map No. 2312, the boundary runs by true bearings:

- 1. S 43° 47' W 465 feet along road and Lot 1;
- 2. S 38° 31' W 716 feet along road and Lot 1;
- 3. S 24° 13' W 413 feet along road and Lot 1 to West angle at pile of stones over mark $\frac{1}{4}$ cut in rock;
- 4. S 76° 50' E 1565 feet along Lot 3 to South angle at pile of stones on lava, under which are cut in the rock the figures 2

3

- 5. N 15° 24' E 310 feet;
- 6. N 13º 46' W 629 feet;
- 7. N 36° 09 W 889 feet to point of beginning.

Containing 33.9 acres. Reserving however therefrom a right-of-way 20 feet in width along the North boundary of this lot adjacent to Lot 1.

compared may 15 1910

A. B. LEOBENSTEIN

Surveyor Bureau Public Lands,

Hilo, January 27, 1896.

Grant 4673 to Joan Vierra

Wy Some Grand

PONAHAWAI, HILO, HAWAII, GOV'T. LOTS.

LOT #2.

Notes of Survey:

the North conner of this lot and
Beginning at East corner of lot #1, the coordinates of which point referred to Government Survey Trag. Station
"Halai" being 362315 feet South and 4790.4 feet West, as shown on
Government Survey Registered Map No. 2312, the boundary runs by
true bearings:

true bearings:
1.- S. 43 47 W. 465 ft. along road and lot #1.

2.- S. 38° 31' W. 716 ft. " " "

3.- S. 24° 13' W. 413 ft. " " " to West angle at pile of stones over mark $\frac{1}{4}$ cut in rock

4.- S. 76° 50° E. 1565 ft. along lot #3 to South angle at pile of stones on lava, under which are cut in the rock the figures ---

5.- N. 15° 24' E. 310 ft.

6.- N. 13° 46' W. 629 ft.

7.- N. 36° 09° W. 889 ft. to point of beginning.

Containing 33.9 acres. Reserving however therefrom a right of way 20 ft. in width along the North boundary of this lot, adjacent to lot #1.

A.B.Loebenstein. Surveyor Bureau Public Lands.
Hilo, January 27th. 1896.

See Wer Cal, BK. 2 pag. 132 for coord.

Her. 1914

From (3629, 21 F. S. Halai 4799.09 F. W.

Coords. 536235 IV 47909

16277-16281-16682-1612 536235 01/2016281 Lot I Description as described in Grant 4673 (See Keg Nap 2312)

LAND PATENT NO. 4673

(Grant)

On Rights of Purchase Lease under Part VII of the Land Act of 1895

By this Patent the Governor of the Territory of Hawaii, in conformity with the laws of the United States of America and of the Territory of Hawaii, makes known to all men that he has this day granted and confirmed unto

Joao	Vierra	

for the consideration of <u>Three hundred & Thirty-nine 00/100 Dollars</u>, \$339 00/100 paid into the Treasury.

And for the further consideration of his having complied
with the terms and conditions of Part VII of the Land Act of 1895

all of the land situate at <u>Ponahawai</u>.

in the District of <u>Hilo</u> Island of <u>HAwaii</u> bounded and described as follows:

Right of Purchase Lease No. 8

Lot No. 2, Public Lands Map No. 3, First Land District.

Beginning at the North corner of this Lot at pile of stones, the coordinates of which point are 3629.21 feet South and 4799.09 feet West of Halai Trig. station, and running:-

- S. 43° 26' W. True 452.5 feet along Lot 1;
- S. 38° 31' W. True 716 feet along Lot 1;
- S. 24° 13' W. True 413 feet along Lot 1 to mark on pahoehoe in old road, ;
- S. 76° 50' E. True 1565 feet along Lot 3, to pile of stones on the 1881 Lava flow marked 2/3;
- N. 15° 24' E. True 310 feet on 1881 lava flow;
- N. 14° 24' W. True 624.8 feet on 1881 lava flow;
- N. 36° 9' W. True 889 feet along Grant 252, to the point of beginning.

33.9 Acres

Less 50 ft. Road Right of Way Reserve 1.6 Acres as described on Plan 32.3 Acres Containing

Containing	32.3 Acres, more or less.
TO HAVE ANI	TO HOLD the above granted Land unto the said
	Joao Vierra
and his heirs and	assigns forever.
IN WITNESS	WHEREOF, The Governor of the Territory of Hawaii,
	has hereto set his hand and caused the Great Seal
•	of the Territory to be hereunto affixed, this
	20 day of April A. D. 1903.
(Great Seal)	(S) <u>Sanford B. Dole</u>
BY THE GOVERNOR	:
(S) Edward S. Bo Commissione	yd r of Public Lands.

. : :

Deed No. S-17895-A

Class Warranty Deed

COSTA, Antone B.

Grantee

State of Hawaii

Date of Instrument

Book

Page

Area 🐫

Consideration

2/15/61

4043

,07 Description 9,592 st.

\$1.00

Grantor conveys a 30-Foot Roadway within the subdivision in Ponahawai Homesteads, situate at Ponahawai, South Hilo, Hawaii.

Lot 2, Ponahawai Government Lots, Ponahawai, Hilo, Hawaii.

As contained in Grant No.4673.

File in Carton 125.

Description of Lot 2, situate at Ponahawai, Hilo, Hawaii, Public Lands Map No. 3, First Land District, as is contained in Grant No. 4673 issued to Joao Vierra.

Beginning at the North corner of this Lot at pile of stones, the coordinates of which point are 3629.21 feet South and 4799.09 feet West of Halai Trig. Station and running:-

```
S. 43°
         26' W. True
                       452.5 feet along Lot 1;
s. 38°
         31' W.
                       716
S. 24°
                                               to mark on pahoe-
         13' W.
                        413
                                           hoe in old road 1|2
s. 76°
         50' E.
                       1565
                                           Lot 3, to pile of
                                           stones on the 1881
                                           Lava flow marked 2/3;
N. 15°
                                    on 1881 lava flow;
         24' E.
                        310
N. 14°
                       624.8
         241 W.
                                    along Grant 252, to the point of beginning.
N. 36°
         91
                        889
             W.
```

33.9 Acres

Less 50 ft. Road Right of Way Reserve 1.6 " as described on Plan Containing 32.3 Acres

Pile of stones B. 2. MILE POE 2. 3. Scale

